Title

Author

Abstract

Put abstract here.

Introduction

Loetscher, Schwarz, Schubiger, and Brugger (2008) found that ... Other studies, however, reported different results (Chen & Spence, 2011; Fischer, Mills, & Shaki, 2010; Loetscher et al., 2008).

Methods

...

Results

Figure 1 displays the yields (as measured by dried weight of plants) obtained under a control and two different treatment conditions. In total, the yields ranged from 3.59 to 6.31 units ($M = 5.12$, $SD = 0.76$). Table 1 shows the average weight per condition, $F(2, 21) = 3.19$, $p = 0.062$.

Discussion

...

Figure 1: Weight per condition



Table 1: Average weight per condition

Group	M	n	SD	SE
ctrl	5.00	8	0.66	0.23
trt1	4.69	7	0.95	0.36
trt2	5.55	9	0.46	0.15

References

Chen, Y. C., & Spence, C. (2011). The crossmodal facilitation of visual object representations by sound: Evidence from the backward masking paradigm. *Journal of Experimental Psychology: Human Perception and Performance*, *37*(6), 1784–1802. https://doi.org/10.1037/a0025638

Fischer, M. H., Mills, R. A., & Shaki, S. (2010). How to cook a SNARC: Number placement in text rapidly changes spatial–numerical associations. *Brain and Cognition*, *72*(3), 333–336. https://doi.org/10.1016/j.bandc.2009.10.010

Loetscher, T., Schwarz, U., Schubiger, M., & Brugger, P. (2008). Head turns bias the brain's internal random generator. *Current Biology*, *18*(2), R60–R62. https://doi.org/10.1016/j.cub.2007.11.015